

ACCUSENSE™ TECHNOLOGY

PENTAIR® FLECK® 5800 XTR2

EFFICIENT WATER SOFTENING SOLUTION

Processes real-time water hardness data through the XTR2 sensor control

Perfect solution for areas where water hardness fluctuates Initiates regeneration only when the resin bed is exhausted (less reserve capacity)



Set the time of day and go. No need to set hardness — the system automatically monitors the resin bed and determines exactly when regeneration is required.

ADAPTS

30 – 50% reduction in salt usage and water waste. AccuSense adapts to water hardness, providing more efficient regenerations, allowing for more complete use of the resin bed and reducing unnecessary regenerations.

PROTECTS

Protect pipes and appliances from hard water with an automatic sensor regeneration that keeps hard water from entering your home, providing you with a consistent flow of soft water, regardless of usage patterns.







262.634.2386 | SALES@GREATLAKESINTL.COM



HIGH-QUALITY WATER FROM A RELIABLE SYSTEM

- Touch screen XTR2 control designed to respond to changes in system status with a sophistication that traditional systems can't match.
- Peatures convenient external wiring, keeping the wires accessible and dry.
- AccuSense[™] Technology delivers superior monitoring compared to traditional systems, with noncorrosive 18-karat gold-plated sensor probes that continuously analyze the resin bed, initiating regeneration only when actual hardness is detected for a truly adaptive system.
- Sensor tank with two O-ring side ports offers simple installation and easy access to probe assemblies. O-ring sealing allows probes to be easily removed and cleaned or replaced as needed.
- The 5800 XTR2 with AccuSense continuously monitors real-time status of resin bed and helps prevent unnecessary regenerations, providing a "set and forget" approach.









GET YOURS TODAY!

262.634.2386 | SALES@GREATLAKESINTL.COM



FREQUENTLY PURCHASED WITH ACCUSENSE SYSTEMS

NEOPRENE TANK JACKET

BLACK | OPTIONAL CUSTOM LOGO

#37608444 - 8 x 44" #37609484 - 9 x 48" #37610544 - 10 x 54"

#37612524 - 12 x 48"

Enhance the appearance of your tank while protecting cables and probes. UV resistant. Easy zip-on design. Optional custom logo to keep your company front and center.



BEZEL BLUE | SILVER | BLACK



#384326200

#384326202

#384326201

DRAIN LINE FLOW CONTROL HOUSING & FLOW WASHERS

#3812086 – 1.5 GPM (for 8 x 44" tank)

#3812087 – 2.0 GPM (for 9 x 48" tank)

#3812088 – 2.4 GPM (for 10 x 54" tank)

#3812090 – 3.5 GPM (for 12 x 52" tank)



CONNECTED SALT LEVEL SENSOR

WIFI ENABLED SALT MONITOR

#224005702

Check salt levels anytime, anywhere from a smart device using the Pentair® Home app. Simple in-app instructions and guide light for tank and salt level measurements.



FLECK BYPASS

3/4" FPT STAINLESS STEEL #3860040SS

1" FPT STAINLESS STEEL #3860041SS

3/4" PLASTIC* #3860049 *Yoke sold separately



PENTEK R0-2550

REVERSE OSMOSIS DRINKING WATER SYSTEM

#22161079

Reduces salt, dissolved minerals, bad taste and ordor. Includes 50 gallon per day reverse osmosis element. Provides cleaner, fresher tasting water for drinking and cooking.

